## RECOMMENDED SAFETY TRAINING REQUIREMENTS

The following list of training and frequency of training are required by legislation and enforced by either MOL, MOE, MOT, TSSA, TDG and HRSDC Officers. Note that the frequency of training is dependent on your workplace and may be more frequent due to your hazards, procedures, work process, changes in work conditions and equipment. OABA and its representatives make no representation or interpretation related to the application or frequency of these training in the individual workplace.

TOPIC	SOURCE	ABSTRACT	FREQUENCY	LENGTH	AUDIENCE
Certification Part	OHSA s. 9 (12)	- 2 JHSC Members (1 Management, 1 Worker)	- Upon selection of the	2 to 3 days	- Certified Workers
One		are to be trained, at the employers expense, by	Certified Committee		
		an agency/individual approved by the WSIB.	Members		
Certification Part	OHSA s. 9 (12)	- 2 JHSC Members (1 Management, 1 Worker)	- Upon selection of the	1 to 2 days	- Certified Workers
Two (Significant		are to be trained, at the employers expense, by	Certified Committee		
Hazards)		an agency/individual approved by the WSIB.	Members		
Basic Health &	OHSA s. 8, 9, 25 & 26	- H&S Committee Members (federal) and	- Upon selection as a Health	1 to 1 ½ days	- JHSC Members
Safety Training	CLC s. 134 to 137	Representatives are to be trained in Health and	& Safety Committee		- H&S Representatives
		Safety in order to perform their duties and	Member or Representative		- Managers
		responsibilities	Update as needed based on		- Supervisors
		- Workers, Supervisors, Managers are also to be	worksite.		
		trained			
Employers, Manager	OHSA s. 25 to 27	- The general duties of an employer, manager	- When appointed as a	½ Day	- Supervisors
and Supervisor Duty	CLC 124 to 128	and a supervisor as defined by the OHSA and	supervisor/manager/director.		- Managers
& Responsibilities		Regulations or the CLC and Regulations.	- Update yearly or as needed		- Directors
(Due Diligence)			based on worksite.		- Executives
Employee Duty and	OHSA s. 28	- The general duties and responsibilities of all	- When hired.	½ Day	- All Employees
Responsibilities	CLC 126	employees under the OHSA and Regulations or	- Yearly and as needed.		- May include
W. 1 D 0 1	0.110.4.0	the CLC and Regulations.	***	1/ 5	Contracted Workers
Work Refusal	OHSA s. 43 to 49	- All workers have the right and responsibility to	- When an employee is	½ Day	- All employees.
	CLC 128	refuse to perform any unsafe job assignment.	hired.		- All managers and
		- Everyone must know and use the established	- Yearly		supervisors and
C + + 1C :	OHGA 22 27 26 8	procedure.	- As needed	1/ II	directors.
Contracted Services	OHSA s. 23, 25, 26 &	- All Contractors are required to comply with the	- Before work starts.	½ Hrs. to 1 Day	- All Contractors
Responsibilities	31	law, WSIB Standards and Employer standards.	- Yearly		
WIDIO	CLC 124 to 128	A11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- As needed	2.4.411	A 11 1
WHMIS	OHSA s. 3 to 16	- All employees exposed to hazardous materials,	- When Hired.	3 to 4 Hours	- All employees
	O. Reg. 860	or who work in or near an area of hazardous			
WIIMIC A	CLC 125	materials must be trained in Generic WHMIS.	X/1	14.211	A 11 1
WHMIS Annual	OHSA s. 17 & 18	- All employees are to be trained on how to	- Yearly	1 to 2 Hours	- All employees
Recertification	CLC 125	access the data base when hired and annually.			exposed to hazardous
(MSDS)	CLC-R Part X	- Must be Site Specific			materials.

Ontario Health & Safety Act = OHSA Ontario Regulations = O. Reg. Fire Code = F.C. Canada Labor Code (Safety Act) = CLC Canada Labor Code (Safety Regulations) = CLC-R section = s. Transportation of Dangerous Goods = TDG Environmental Protection Act = EPA

## RECOMMENDED SAFETY TRAINING REQUIREMENTS

The following list of training and frequency of training are required by legislation and enforced by either MOL, MOE, MOT, TSSA, TDG and HRSDC Officers. Note that the frequency of training is dependent on your workplace and may be more frequent due to your hazards, procedures, work process, changes in work conditions and equipment. OABA and its representatives make no representation or interpretation related to the application or frequency of these training in the individual workplace.

TOPIC	SOURCE	ABSTRACT	FREQUENCY	LENGTH	AUDIENCE
Physical Agents	OHSA s. 33 to 42 CLC-R Part IX & X	<ul><li>Any person who works with these agents.</li><li>Any person who works in an area of these agents.</li></ul>	- Before starting to work with these agents Yearly - As needed.	2 hrs to 1 day (dependent on the PPE in question)	- Any employee who works with or in the area of these agents.
Designated Substances	See Designated Substances Regulations CLC-R Part IX & X	<ul> <li>Several chemicals have been designated as having the potential to cause severe harm to a person who uses them.</li> <li>Special precautions, procedures and maintenance must be complied with as reqired by the Regulation in question</li> </ul>	<ul><li>Before working with the material the first time.</li><li>Yearly.</li><li>As needed.</li></ul>	- Varies (Dependent on the substance, the precaution involved and the required PPEs)	<ul><li>Any employee who works with these materials.</li><li>Any employee who works in the area of these materials.</li></ul>
First Aid - CPR	WSIB Regulation 1101 First Aid Regulations CLC –R Part XVI	- A First Aid trained person is required for every working shift and when completing specified hazardous work procedures, i.e. Confined Space WSIB Reg. requires Stnd. Level (5+ workers) CLC Reg. requires Emerg. Level (EMS in 20 min.)	- Before hazardous work starts As required by the legislation	1 – 2 Days	<ul> <li>All workers involved in hazardous work.</li> <li>1 worker for each shift.</li> <li>1 worker per first aid station</li> </ul>
Lift Truck (Lifting Device) Operations	O. Reg. 851 s. 45 to 66 CLC – R Part XIV	<ul> <li>Any person who operates a lift truck.</li> <li>Any manager/supervisor who directs the operation of lift trucks.</li> <li>Any person who works in the area of Lift Truck operations must be trained on Lift Truck Operation Hazards.</li> </ul>	- Before operating any lift truck for the first time. - Theory every 3 yrs. - Practical Safe Operation training every 18 months - As needed	- Theory 1 day - Practical Safe Operation 2 hrs. to 2 days (dependent on number of participants	- Any employee required to operate any type of lift truck (lifting device).
Confined Space	O. Reg. 851 Part I 1. CLC-R Part XI	<ul> <li>Any worker required to work in a confined space must be trained.</li> <li>Any Supervisor authorizing work in a confined space must be trained.</li> <li>Rescue personnel (Attendant, Fire Rescue, etc.) must be trained.</li> </ul>	- Before any Confined Space work starts. - Yearly. - As needed	1 Day (Includes Working at Heights and Fall Protection Equipment training)	- Any employee required to work in or around a confined space location Supervisors authorizing confined space work - Potential rescuers

Ontario Health & Safety Act = H&S Act Canada Labor Code (Safety Regulations = CLC-R Industrial Regulations = I.R.

Fire Code = F.C.

Canada Labor Code (Safety Act) = CLC

section = s. Transportation of Dangerous Goods = TDG

Environmental Protection Act = EPA

## **RECOMMENDED SAFETY TRAINING REQUIREMENTS**

The following list of training and frequency of training are required by legislation and enforced by either MOL, MOE, MOT, TSSA, TDG and HRSDC Officers. Note that the frequency of training is dependent on your workplace and may be more frequent due to your hazards, procedures, work process, changes in work conditions and equipment. OABA and its representatives make no representation or interpretation related to the application or frequency of these training in the individual workplace.

TOPIC	SOURCE	ABSTRACT	FREQUENCY	LENGTH	AUDIENCE
Personnel Protective Equipment (PPE)	O. Reg. 851 s. 79 to 86 CLC-R Part XI & XII	<ul> <li>- Any person required to use PPE must be fit tested and trained in the care, use, storage, cleaning of the device.</li> <li>- Training must be specific to the equipment and the workplace (ie: Fall Protection, Retrieval Systems, safety boots, gloves, clothing, etc.)</li> </ul>	- When issued Yearly As needed	½ day to 1 day	- All employees using the PPE.
Working at Heights: - Ladders - Elevated Work Platforms - Fall Protection Equipment	O. Reg. 851 s. 18, 19, 73, 85 O. Reg. 123 s. 125 to 136 CLC – R Part II, III & XII	<ul> <li>Ladders, elevated work platforms &amp; devices must be used and maintained in a safe manner.</li> <li>Work at elevated areas (F. 7 ft. &amp; P. 10 ft.)</li> <li>Fall protection equip. inspection and donning</li> <li>There must be a site specific component and a hands on to the training</li> </ul>	- Before it is used for the first time Yearly - As needed	1/2 day (Dependent on workplace hazards and the equipment being used)	Any person who uses or stores a ladder.     Any person using a man-lifting device
Machine Guarding	O. Reg 851 s. 22 – 44 CLC – R Part XIII	A guard is required on any rotating and or moving part where a worker or a workers clothing could be caught.      There must be a site specific component and a hands on to the training	<ul><li>Before starting to work on the device the first time.</li><li>Yearly</li><li>As needed.</li></ul>	½ Day	- Any worker who works around or maintains any equip- ment with moving parts A manager or supervisor who works in or around equipment with moving parts.
Lockout-Tagout	O. Reg 851 s. 22 – 44 CLC – R Part XIII	<ul> <li>Any equipment or machine that has a rotating and or moving part where a worker or a workers clothing could be caught must be guarded.</li> <li>Equipment and machine on which the guard(s) will be removed must be locked out and tagged</li> <li>Any source of energy on an equipment or machine to be worked on must be locked out and tagged</li> <li>There must be a site specific component and a hands on to the training</li> </ul>	- Before starting to work on the device the first time. - Yearly - As needed.	½ Day	- Any worker who works around or maintains any equip- ment with moving parts or energy source A manager or supervisor who works in or around equipment with moving parts or energy source.
Live Electrical Work	O. Reg. 851 s. 42 CLC-R Part VIII	- Training on who, when, why, where and how may work on electrical power systems at and above 750 volts	- Before the first work on a system - Yearly - As needed.	½ to 1 Day	Maintenance Employees

Industrial Regulations = I.R.

Fire Code = F.C.

Canada Labor Code (Safety Act) = CLC

section = s. Transportation of Dangerous Goods = TDG

Environmental Protection Act = EPA

## RECOMMENDED SAFETY TRAINING REQUIREMENTS

page 4 of 4

The following list of training and frequency of training are required by legislation and enforced by either MOL, MOE, MOT, TSSA, TDG and HRSDC Officers. Note that the frequency of training is dependent on your workplace and may be more frequent due to your hazards, procedures, work process, changes in work conditions and equipment. OABA and its representatives make no representation or interpretation related to the application or frequency of these training in the individual workplace.

TOPIC	SOURCE	ABSTRACT	FREQUENCY	LENGTH	AUDIENCE
Transportation of Dangerous Gods	TDG Act & Regulations	The handling, storage and transportation of defined dangerous goods is regulated by Transport Canada.	- Before a person handles a defined dangerous goods Every three years	½ day to 1 day	- Any person who prepares documents, stores, handles, offer for transpostation or transports dangerous
Environmental Protection Act	EPA Federal & Provincial	<ul> <li>Environmental regulations are in place and are constantly being revised. Ignorance is not a defense for an infraction.</li> <li>There must be a site specific component and a hands on to the training</li> </ul>	- Before working with a potential hazard Yearly - As needed.	Varies	goods.  - All employee who handle any materials which can contaminate the natural environment.
Emergency Plan	OHSA s. 25 O. Reg. 851 s. 22, 23 & 123 F. C. Part 2 CLC-R Part XVII	<ul> <li>A site emergency plan is required based on any potential emergency at your work place.</li> <li>Site security must be a component of this training</li> <li>There must be a site specific component and a hands on to the training</li> </ul>	- When an employee is hired Yearly - As needed	½ day to 1 day	- All employees.
Soft Tissue & Joint Injury Prevention (Ergonomics)	O. Reg. 851 s. 45 to 49 CLC Reg. Part XX	<ul> <li>Evaluation of hazards that could cause these injuries must be done and workers must be trained on these hazards and situations</li> <li>There must be a site specific component and a hands on to the training</li> </ul>	- Initial orientation Yearly - As needed	½ day to 1 day	- All employees exposed or at risk as a part of their job tasks.
Racking & Shelving Structure Inspection/Assessment	O. Reg. 851 s. 7 & 45 CLC Reg. Part XIV	- Racking & Shelving structures must be inspected and assessed for their integrity and safe conditions at least annually by a "Competent" or a "Qualified" person.	- When employee is selected to do the racking and shelving structure inspection and assessment - As required	½ day to 1 day	- Any employee who will be doing the yearly inspection/assessment - any Supervisor or Manager that will inspect and assess racking & shelving structures